Subject Index to Volume 12

A

A23187
  fix vital stain method to evaluate bovine sperm, 112
  induced acrosome reaction and fertility, 98
Acid phosphatase, seminal plasma, as sperm quality marker, 191
Acrosome
  evaluation, fix vital stain method (bovine), 112
  miniacrosome defect causing infertility in two brothers, 104
  SP-10 protein, gene mapping, 281
  stage-specific expression of acrosomal protein of baboon sperm during spermiogenesis, 140
Acrosome reaction
  A23187-induced, fertility and, 98
  bovine follicular fluid and oviduct fluids and, 244
  effect of phorbol diesters, synthetic diacylglycerols, and protein kinase C inhibitor, 62
Adenosine monophosphate, cyclic (cAMP), Leydig cell production, LH/hCG receptor complex in, 132
S-Adenosyl-L-methionine decarboxylase activity, epididymis, ontogeny and androgenic control (rat), 209
Adrenal gland, androgen blockade, in prostate cancer, 364
α-Adrenergic antagonists, in benign prostatic hyperplasia, 389
Age/aging
  compensatory pituitary and testicular responses to hemicastration (rat), 119
  pituitary-gonadal axis response to chronic clomiphene administration and, 258
  Poisson distribution of sperm penetration, 71
  rapid development of Leydig cell tumors in Wistar rat substrain U, 171
Albumin, seminal plasma, as sperm quality marker, 191
Androgen(s)
  control of epididymal S-adenosyl-L-methionine decarboxylase activity (rat), 209
  in Wilson's disease, 180
Androgen-binding protein, endocytosis, in efferent ducts and epididymis (ram), 288
Antiandrogens
  in benign prostatic hyperplasia, 381
  in prostate cancer, overview, 364
Aromatase inhinitors, in benign prostatic hyperplasia
  animal studies, 395, 403
  human studies, 403
Asthenospermia, testicular steroidogenesis in, 273
Atamestane, in benign prostatic hyperplasia
  animal studies, 395, 403
  human studies, 403

B

Benign prostatic hyperplasia, 346
  antiandrogen therapy, 381
  aromatase inhibitors for (animals), 395, 403
  atamestane therapy (animals), 395, 403
  atamestane therapy (humans), 403
  α-blocker therapy, 389
  development, 348
  editorial, 345
  finasteride therapy, 372
  flutamide therapy, 376
  histogenesis, 348
  intraurethral prostatic stent for, 423
  LHRH agonist therapy, 381
  origin, 348
  pathophysiology, 356
  terazosin therapy, 389
  transurethral incision of prostate and bladder neck for, 415
  transurethral/transrectal microwave hyperthermia for, 429
Bisbenzimide 33258 (H33258), fix vital stain method to evaluate bovine sperm, 112
Bladder neck incision, in benign prostatic hyperplasia, 415
α-Blockers, in benign prostatic hyperplasia, 389
Buserelin, in prostatic cancer, circulating gonadotropin levels and, 46

C

Calcium
  acrosome reaction and, 62
  extracellular, testosterone production and (mouse), 148
  progesterone-stimulated intracellular accumulation, during in vitro capacitation of human sperm, 323
Calcium ionophore. *See* A23187
cAMP. *See* Adenosine monophosphate, cyclic
Citric acid, semen content, in clinically silent genital tract inflammation, 331
Clomiphene citrate, chronic administration, response of pituitary-testicular axis to, aging and, 258
Clusterin, endocytosis, in efferent ducts and epididymis (ram), 288
Computers, sperm motion analysis. *See also* Semen analysis, computer-assisted
  issues in statistical analysis of data, 89
Cryopreservation, effect of sperm freezing and thawing on binding capacity, 1
Cryptorchidism, experimental, electron microscopic Leydig cell morphology (mouse), 335

D

Diacylglycerol, acrosome reaction and, 62
Dihydrotestosterone, regulatory actions on FSH secretion and clearance, 27
DNA, ventral prostate, 4-MAPC and (rat), 315

E

Electroejaculation, pentoxifylline stimulation of sperm motion in men undergoing electroejaculation, 165
Electron microscopy, Leydig cell morphology, experimental cryptorchidism (mouse), 335
Electron paramagnetic resonance spectroscopy, sperm membrane lipids, protein and physical state during epididymal maturation (rat), 76
Electrophoresis, lactoferrin, albumin, and acid phosphatase ratios in seminal plasma from fertile and infertile men, 191
Enzyme inhibitors, in prostate cancer, overview, 364
Epichlorohydrin intoxication, sperm motion and fertility and (rat), 54
Epididymis
  S-adenosyl-L-methionine decarboxylase activity, ontogeny and androgenic control (rat), 209
  endocytosis of testicular proteins (ram), 288
  sperm maturation
    monoclonal antibody study, 305
    plasma membrane lipid and protein content and physical state during (rat), 76

Subject Index to Volume 12

A

A23187
  fix vital stain method to evaluate bovine sperm, 112
  induced acrosome reaction and fertility, 98
Acid phosphatase, seminal plasma, as sperm quality marker, 191
Acrosome
  evaluation, fix vital stain method (bovine), 112
  miniacrosome defect causing infertility in two brothers, 104
  SP-10 protein, gene mapping, 281
  stage-specific expression of acrosomal protein of baboon sperm during spermiogenesis, 140
Acrosome reaction
  A23187-induced, fertility and, 98
  bovine follicular fluid and oviduct fluids and, 244
  effect of phorbol diesters, synthetic diacylglycerols, and protein kinase C inhibitor, 62
Adenosine monophosphate, cyclic (cAMP), Leydig cell production, LH/hCG receptor complex in, 132
S-Adenosyl-L-methionine decarboxylase activity, epididymis, ontogeny and androgenic control (rat), 209
Adrenal gland, androgen blockade, in prostate cancer, 364
α-Adrenergic antagonists, in benign prostatic hyperplasia, 389
Age/aging
  compensatory pituitary and testicular responses to hemicastration (rat), 119
  pituitary-gonadal axis response to chronic clomiphene administration and, 258
  Poisson distribution of sperm penetration, 71
  rapid development of Leydig cell tumors in Wistar rat substrain U, 171
Albumin, seminal plasma, as sperm quality marker, 191
Androgen(s)
  control of epididymal S-adenosyl-L-methionine decarboxylase activity (rat), 209
  in Wilson's disease, 180
Androgen-binding protein, endocytosis, in efferent ducts and epididymis (ram), 288
Antiandrogens
  in benign prostatic hyperplasia, 381
  in prostate cancer, overview, 364
Aromatase inhinitors, in benign prostatic hyperplasia
  animal studies, 395, 403
  human studies, 403
Asthenospermia, testicular steroidogenesis in, 273
Atamestane, in benign prostatic hyperplasia
  animal studies, 395, 403
  human studies, 403

B

Benign prostatic hyperplasia, 346
  antiandrogen therapy, 381
  aromatase inhibitors for (animals), 395, 403
  atamestane therapy (animals), 395, 403
  atamestane therapy (humans), 403
  α-blocker therapy, 389
  development, 348
  editorial, 345
  finasteride therapy, 372
  flutamide therapy, 376
  histogenesis, 348
  intraurethral prostatic stent for, 423
  LHRH agonist therapy, 381
  origin, 348
  pathophysiology, 356
  terazosin therapy, 389
  transurethral incision of prostate and bladder neck for, 415
  transurethral/transrectal microwave hyperthermia for, 429
Bisbenzimide 33258 (H33258), fix vital stain method to evaluate bovine sperm, 112
Bladder neck incision, in benign prostatic hyperplasia, 415
α-Blockers, in benign prostatic hyperplasia, 389
Buserelin, in prostatic cancer, circulating gonadotropin levels and, 46

C

Calcium
  acrosome reaction and, 62
  extracellular, testosterone production and (mouse), 148
  progesterone-stimulated intracellular accumulation, during in vitro capacitation of human sperm, 323
Calcium ionophore. *See* A23187
cAMP. *See* Adenosine monophosphate, cyclic
Citric acid, semen content, in clinically silent genital tract inflammation, 331
Clomiphene citrate, chronic administration, response of pituitary-testicular axis to, aging and, 258
Clusterin, endocytosis, in efferent ducts and epididymis (ram), 288
Computers, sperm motion analysis. *See also* Semen analysis, computer-assisted
  issues in statistical analysis of data, 89
Cryopreservation, effect of sperm freezing and thawing on binding capacity, 1
Cryptorchidism, experimental, electron microscopic Leydig cell morphology (mouse), 335

D

Diacylglycerol, acrosome reaction and, 62
Dihydrotestosterone, regulatory actions on FSH secretion and clearance, 27
DNA, ventral prostate, 4-MAPC and (rat), 315

E

Electroejaculation, pentoxifylline stimulation of sperm motion in men undergoing electroejaculation, 165
Electron microscopy, Leydig cell morphology, experimental cryptorchidism (mouse), 335
Electron paramagnetic resonance spectroscopy, sperm membrane lipids, protein and physical state during epididymal maturation (rat), 76
Electrophoresis, lactoferrin, albumin, and acid phosphatase ratios in seminal plasma from fertile and infertile men, 191
Enzyme inhibitors, in prostate cancer, overview, 364
Epichlorohydrin intoxication, sperm motion and fertility and (rat), 54
Epididymis
  S-adenosyl-L-methionine decarboxylase activity, ontogeny and androgenic control (rat), 209
  endocytosis of testicular proteins (ram), 288
  sperm maturation
    monoclonal antibody study, 305
    plasma membrane lipid and protein content and physical state during (rat), 76

Estradiol
inhibition of Leydig cell regeneration in EDS-treated rat, 295
in Leydig cell tumors in Wistar rat substrain U, 171
regulatory actions on FSH secretion and clearance, 27
Estrogen, in prostate cancer, 364
Ethane dimethylsulfonate (EDS), Leydig cell regeneration and (rat), 295
Excurrent ducts, endocytosis of testicular proteins (ram), 288

F

Farnesyl pyrophosphate synthetase mRNA, testicular, pituitary regulation in sexually maturing rat, 264
Fertility/infertility
correlation of sperm motion parameters with fertility in epichlorohydrin-treated rats, 54
evaluation, relationship between hypo-osmotic swelling test and sperm penetration assay, 152
induced acrosome reaction and, 98
lactoferrin, albumin and acid phosphatase seminal levels as sperm quality markers, 191
miniacrosome defect causing infertility in two brothers, 104
Fertilization, A23187-induced acrosome reaction and, 98
Fertilization *in vitro*, rate, relation to sperm motility as assessed by Hamilton-Thorn Motility Analyzer, 231
Finasteride, in benign prostatic hyperplasia, 372
Fix vital stain method, simultaneous determination of viability and acrosomal status of bovine sperm, 112
Flutamide
in benign prostatic hyperplasia, 376
in prostate cancer, 364
Follicle-stimulating hormone (FSH)
response to GnRH agonist treatment in prostatic cancer, 46
response to hemicastration, prepubertal vs mature rats, 119
secretion and clearance, dihydrotestosterone and estradiol and, 27
serum bioactive and immunoreactive levels, in hemicastrated rat, follicular fluid administration and, 221
steroidogenesis and, Leydig tumor cell–Sertoli cell interactions (rat), 9
Follicular fluid
effects on serum bioactive and immunoreactive FSH and testosterone secretion, in hemicastrated rat, 221
sperm capacitation and acrosome reaction and (bovine), 244
Fructose, semen content, in clinically silent genital tract inflammation, 331

G

Gamete intrafallopian transfer (GIFT), pentoxifylline stimulation of sperm motion in men undergoing electroejaculation, 165
Gene mapping, human intra-acrosomal protein SP-10, 281
Genital tract inflammation, clinically silent, biochemical markers of, 331
Germ cell
congenital defect, testicular dysfunction and, 226
repopulation, 2,5-hexanedione exposure and (rat), 18
GnRH test, in Wilson's disease, 180
Gonadotropin(s)
chronic clomiphene administration and, effects of aging, 258
human chorionic (hCG). *See also* hCG stimulation test
Leydig cell production of cAMP/testosterone and, 132
in Wilson's disease, 180
Gonadotropin-releasing hormone (GnRH) agonists. *See* Buserelin
Granulocyte elastase, semen content, in clinically silent genital tract inflammation, 331

H

Hamilton-Thorn Motility Analyzer, sperm motility assessment, prediction of IVF rates and, 231
hCG stimulation test
in idiopathic oligoasthenospermia, 273
in Wilson's disease, 180
Hemicastration
compensatory pituitary and testicular responses, prepubertal vs mature rats, 119
FSH concentration and testosterone secretion in, follicular fluid administration and (rat), 221
Hemizona assay, functional aspects of human sperm binding, 1
2,5-Hexanedione intoxication, Sertoli cell, germ cell repopulation and (rat), 18
3β-Hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase, in human testis, ontogeny of, 161
Hyperplasia, prostate. *See* Benign prostatic hyperplasia
Hyperthermia, microwave, transurethral/transrectal, for benign prostatic hyperplasia, 429
Hypogonadism
diurnal rhythm of testosterone and LH, 185
hypergonadotropic, in men born with benign sacrococcygeal teratoma, 226
Hypo-osmotic swelling (HOS) test, in fertility evaluation, relation to sperm penetration assay, 152
Hypothalamic-pituitary-testicular axis, in Wilson's disease, functional assessment, 180

I

Immunocytochemistry, ontogeny of 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase in human testis, 161
Immunofluorometric assay (IFMA), GnRH agonist treatment in prostatic cancer, circulating gonadotropin levels and, 46
Immunoradiometric assay (IRMA), regulatory actions of sex steroids on FSH secretion and clearance, 27
Inflammation, genital tract, clinically silent, 331
Inhibin
chronic clomiphene administration and, effects of aging, 258
in hemicastrated rat, follicular fluid administration and, 221
in Leydig cell tumors in Wistar rat substrain U, 171
response to hemicastration, prepubertal vs mature rats, 119
Insulin-like growth factor I, steroidogenesis and, Leydig tumor cell-Sertoli cell interactions (rat), 9
IVF. *See* Fertilization *in vitro*

K

Ketoconazole, in prostate cancer, 364

L

Lactoferrin, seminal plasma, as sperm quality marker, 191
Leydig cells
cAMP production, LH/hCG receptor complex in, 132
electron microscopic morphology, in experimental cryptorchidism (mouse), 335
mitosis, in adult guinea pig, 240
regeneration, in EDS-treated rat, 17a-estradiol inhibition of, 295
steroidogenesis, Leydig tumor cell-Sertoli cell interactions (rat), 9
testosterone production
extracellular calcium and (mouse), 148
LH/hCG receptor complex in, 132

tumors, rapid development in Wistar rat substrain U, 171
LHRH agonists, in benign prostatic hyperplasia, 381
Lipid(s), sperm plasma membrane, during epididymal maturation (rat), 76
Liver disease, endocrine studies in Wilson's disease, 180
Luteinizing hormone (LH)
bioactive, response to GnRH agonist treatment in prostatic cancer, 46
diurnal rhythm, in hypogonadism, 185
Leydig cell production of cAMP/testosterone and, 132
response to GnRH agonist treatment in prostatic cancer, 46
response to hemicastration, prepubertal vs mature rats, 119

M

4-MAPC, ventral prostate weight, DNA, and prostatein content and (rat), 315
Megestrol, in prostate cancer, 364
Microscopy, Leydig cell mitosis (guinea pig), 240
Microwave hyperthermia, transurethral/transrectal, for benign prostatic hyperplasia, 429
Miniacrosome defect, infertility and, 104
Mitosis, Leydig cells, in adult guinea pig, 240
Monoclonal antibody studies
sperm maturation during epididymal transit, 305
stage-specific expression of acrosomal protein of baboon sperm during spermiogenesis, 140
mRNA, testicular farnesyl pyrophosphate synthetase, pituitary regulation (rat), 264

N

National Institute of Diabetes and Digestive and Kidney Diseases, polypeptide hormones, subunits, and antisera available for research, 159
Neutral α-glucosidase, semen content, in clinically silent genital tract inflammation, 331

O

Oligoasthenospermia, idiopathic, testicular steroidogenesis in, 273
Ontogeny
S-adenosyl-L-methionine decarboxylase activity in rat epididymis, 209
baboon sperm acrosome region during testicular spermiogenesis, 140
3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase in human testis, 161
Oviduct fluid, sperm capacitation and acrosome reaction and (bovine), 244
Ovum(a), zona-free (hamster), sperm penetration of. *See also* Sperm penetration assay
teratospermia and (cat), 36

P

Pentoxifylline, stimulation of sperm motion in men undergoing electroejaculation, 165
Phorbol diesters, acrosome reaction and, 62
Pituitary gland
regulation of farnesyl pyrophosphate synthetase mRNA in testes of sexually maturing rat, 264
response to hemicastration, prepubertal vs mature rats, 119
Pituitary-testicular axis, response to chronic clomiphene administration, aging and, 258
Poisson distribution, sperm penetration of zona-free hamster ova, 71
Progesterone, intracellular calcium accumulation and, during in vitro capacitation of human sperm, 323
Prostate cancer
buserelin therapy, circulating gonadotropin levels and, 46
enzyme inhibitors and antiandrogens in, overview, 364
Prostate gland
in clinically silent genital tract inflammation, 331
enlargement. *See* Benign prostatic hyperplasia
transurethral incision, in benign prostatic hyperplasia, 415
ventral, weight, DNA, and prostatein content, 4-MAPC and (rat), 315
volume, in benign prostatic hyperplasia, flutamide therapy and, 376
Prostatein, ventral prostate, 4-MAPC and (rat), 315
Prostate-specific antigen, in benign prostatic hyperplasia, flutamide therapy and, 376
Prostatism. *See* Benign prostatic hyperplasia
Prosthesis, intraurethral stent for benign prostatic hyperplasia, 423
Protein(s)
sperm plasma membrane, during epididymal maturation (rat), 76
testicular, endocytosis, in efferent ducts and epididymis (ram), 288
Protein kinase C, acrosome reaction and, 62
Puberty, testicular farnesyl pyrophosphate synthetase mRNA, pituitary regulation (rat), 264

R

5α-Reductase inhibitor. *See* Finasteride; 4-MAPC

S

Semen, biochemical markers of clinically silent genital tract inflammation, 331
Semen analysis
computer-assisted
statistical analysis of sperm motion data from, 89
variation of sperm motility parameters, 126
marmoset semen, 214
Seminal plasma
lactoferrin, albumin, and acid phosphatase ratios, in fertile and infertile men, 191
separation of cryopreserved human semen, Sephadex method, 201
Sephadex column method, separation and concentration of motile cryopreserved sperm, 201
Sertoli cell, 2,5-hexanedione intoxication, germ cell repopulation and (rat), 18
Sertoli cell factor, steroidogenesis and, Leydig tumor cell test system (rat), 9
Sex steroids, regulatory actions on FSH secretion and clearance, 27
Sexual maturation, testicular farnesyl pyrophosphate synthetase mRNA and (rat), 264
Spermatogenesis
SP-10 protein, 281
stage-specific expression of acrosomal protein of baboon sperm during spermiogenesis, 140
Spermatogonia, 2,5-hexanedione exposure and (rat), 18
Spermatozoa
abnormalities, in men born with benign sacrococcygeal teratoma, 226
acrosome. *See* Acrosome; Acrosome reaction

capacitation, hyperactivated sperm motility and, 253
capacitation *in vitro*
bovine follicular fluid and oviduct fluids and, 244
intracellular calcium accumulation and responsiveness to progesterone and, 323
cryopreserved. *See also* Cryopreservation
selection and concentration using Sephadex method, 201
epididymal maturation
monoclonal antibody study, 305
plasma membrane lipid and protein content and physical state during (rat), 76
function, teratospermia and (cat), 36
miniacrosome defect, 104
motion. *See* Sperm motility
plasma membrane
lipid and protein content and physical state during epididymal maturation (rat), 76
maturation changes during epididymal transit, monoclonal antibody study, 305
viability and acrosomal status, fix vital stain method for determination of (bovine), 112
zona binding capacity
functional aspects. *See* Hemizona assay
teratospermia and (cat), 36
Spermiogenesis, stage-specific expression of acrosomal protein of baboon sperm during, 140
Sperm morphology
marmoset, 214
sperm function in teratospermia and (cat), 36
Sperm motility
computer-assisted measurements
statistical analysis, 89
variation of parameters, 126
correlation with fertility, in epichlorohydrin-treated rats, 54
Hamilton-Thorn Motility Analyzer assessment, prediction of IVF rates and, 231
hyperactivated
correlation to sperm penetration assay, 253
zona binding capacity and, 1
marmoset, 214
pentoxifylline stimulation of sperm motion in men undergoing electroejaculation, 165
variation of parameters, 126
Sperm penetration assay
in fertility evaluation, relation to hypo-osmotic swelling test, 152
non-Poisson distribution of sperm from grandfathers, 71
relationship to hyperactivated sperm motility, 253
Sperm quality, lactoferrin, albumin, and acid phosphatase ratios in seminal plasma and, 191
Spinal cord injury, GIFT in, pentoxifylline stimulation of sperm motion in men undergoing electroejaculation, 165
Stains/staining, fix vital stain method, simultaneous determination of viability and acrosomal status of bovine sperm, 112
Statistical analysis
computer-assisted sperm motion data, 89
variation of sperm motility parameters, 126
Stent, intraurethral stent for benign prostatic hyperplasia, 423
Stereology
Leydig cell mitosis (guinea pig), 240
Leydig cell morphology, experimental cryptorchidism (mouse), 335
Steroidogenesis
extracellular calcium and (mouse), 148
hemicastration and, prepubertal vs mature rats, 119
in idiopathic oligoasthenospermia, 273
Leydig tumor cell–Sertoli cell interactions (rat), 9

T

Teratospermia, sperm function and (cat), 36
Terazosin, in benign prostatic hyperplasia, 389
Testis
androgen blockade, in prostate cancer, 364
atrophy, 2,5-hexanedione exposure and (rat), 18
cAMP/testosterone production, LH/hCG receptor complex in, 132
chronic clomiphene administration and, effects of aging, 258
dysfunction, in men born with benign sacrococcygeal teratoma, 226
electron microscopic morphology, in experimental cryptorchidism (mouse), 335
farnesyl pyrophosphate synthetase mRNA in, pituitary regulation in sexually maturing rat, 264
ontogeny of 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase in, 161
proteins, endocytosis, in efferent ducts and epididymis (ram), 288
response to hemicastration, prepubertal vs mature rats, 119
steroidogenesis
extracellular calcium and (mouse), 148
in idiopathic oligoasthenospermia, 273
Leydig tumor cell-Sertoli cell interactions (rat), 9
Testosterone
diurnal rhythm, in hypogonadism, 185
Leydig cell production
extracellular calcium and (mouse), 148
LH/hCG receptor complex in, 132
response to GnRH agonist treatment in prostatic cancer, 46
response to hemicastration, prepubertal vs mature rats, 119
secretion, in hemicastrated rat, follicular fluid administration and, 221
serum level, in benign prostatic hyperplasia, flutamide therapy and, 376
in Wilson's disease, 180
Thermotherapy, transurethral/transrectal microwave hyperthermia, for benign prostatic hyperplasia, 429
Tolerization/immunosuppression protocol, monoclonal antibodies to maturation-specific sperm surface molecules, 305
Transferrin, endocytosis, in efferent ducts and epididymis (ram), 288

U

UroLume Wallstent, for benign prostatic hyperplasia, 423

W

Wilson's disease, assessment of hypothalamic-pituitary-testicular function in, 180

Z

Zona pellucida
sperm binding, functional aspects. *See* Hemizona assay
sperm penetration of, teratospermia and (cat), 36

Author Index to Volume 12

A

Abney, T. O., Myers, R. B.: 17β-Estradiol inhibition of Leydig cell regeneration in the ethane dimethylsulfonate-treated mature rat, 295
Abrescia, P.: *See* Sansone, G.
Amann, R. P.: *See* Veeramachaneni, D. N. R.
Aquilano, D. R.: *See* Scaglia, H. E.

B

Baccetti, B., Burrini, A. G., Collodel, G., Piomboni, P., Renieri, T.: A "miniacrosome" sperm defect causing infertility in two brothers, 104
Baker, H. W. G.: Relationship between sperm motility assessed with the Hamilton-Thorn motility analyzer and fertilization rates *in vitro*, 231
Baldi, E., Casano, R., Falsetti, C., Krausz, C., Maggi, M., Forti, G.: Intracellular calcium accumulation and responsiveness to progesterone in capacitating human spermatozoa, 323
Beitins, I. Z.: *See* Urban, R. J.
Bezold, G.: *See* Wolff, H.
Bhalla, V. K.: *See* Browne, E. S.
Blute, M. L., Lewis R. W.: Local microwave hyperthermia as a treatment alternative for benign prostatic hyperplasia, 429
Boekelheide, K., Hall, S. J., 2,5-Hexanedione exposure in the rat results in long-term testicular atrophy despite the presence of residual spermatogonia, 18
Bonne-Tamir, B.: *See* Frydman, M.
Bremner, W. J.: *See* Tenover, J. S.
Brewer, L. D.: *See* Nazian, S. J.
Brown, J. L., Chakraborty, P. K.: Comparison of compensatory pituitary and testicular responses to hemicastration between prepubertal and mature rats, 119
Brown, J. L., Dahl, K. D., Chakraborty, P. K.: Effects of follicular fluid administration on serum bioactive and immunoreactive FSH concentrations and compensatory testosterone secretion in hemicastrated adult rats, 221
Browne, E. S., Bhalla, V. K.: Does gonadotropin receptor complex have an amplifying role in cAMP/testosterone production in Leydig cells?, 132
Bruskewitz, R.: *See* Riehmann, M.
Burkman, L. J.: *See* Coddington, C. C.
Burrini, A. G.: *See* Baccetti, B.
Bush, M.: *See* Howard, J.

C

Cailleau, J.: *See* Verhoeven, G.
Calandra, R. S.: *See* de las Heras, M. A.
Carrere, C. A.: *See* Scaglia, H. E.
Casano, R.: *See* Baldi, E.
Chakraborty, P. K.: *See* Brown, J. L.
Chamindrani Mendis-Handagama, S. M. L.: Mitosis in normal adult guinea pig Leydig cells, 240
Chan, S. Y. W.: *See* Wang, C.
Chapin, R. E.: *See* Gladen, B. C.
Christ, S. A.: *See* Toth, G. P.
Clejan, S. J.: *See* Stone, N. N.
Coddington, C. C., Franken, D. R., Burkman, L. J., Oosthuizen, W. T., Kruger, T., Hodgen, G. D.: Functional aspects of human sperm binding to the zona pellucida using the hemizona assay, 1
Collodel, G.: *See* Baccetti, B.
Cui, K.-H., Flaherty, S. P., Newble, C. D., Guerin, M. V., Napier, A. J., Matthews, C. D.: Collection and analysis of semen from the common marmoset (*Callithrix jacchus*), 214
Cummins, J. M., Pember, S. M., Jequier, A. M., Yovich, J. L., Hartmann, P. E.: A test of the human sperm acrosome reaction following ionophore challenge: Relationship to fertility and other seminal parameters, 98
Cunningham, G. R.: *See* Ghusn, H. F.

D

Dahl, K. D.: *See* Brown, J. L.; *see also* Urban, R. J.
de Jong, F. H.: *See* Teerds, K. J.
de Kretser, D. M.: *See* Mendis-Handagama, S. M. L. C.
de las Heras, M. A., Calandra, R. S.: S-adenosyl-L-methionine decarboxylase activity in the rat epididymis: Ontogeny and androgenic control, 209
de Leeuw, A. M., den Daas, J. H. G., Woelders, H.: The fix vital stain method: Simultaneous determination of viability and acrosomal status of bovine spermatozoa, 112
den Daas, J. H. G.: *See* de Leeuw, A. M.
de Rooij, D. G.: *See* Teerds, K. J.
Desjardins, C.: Editorial, 345
Doman, T.: *See* Hall, J. C.
Drobnis, E. Z., Zhong, C. Q., Overstreet, J. W.: Separation of cryopreserved human semen using sephadex columns, washing, or percoll gradients, 201
Dunkel, L.: *See* Lahdenne, P.
Dupont, E., Luu-The, V., Labrie, F., Pelletier, G.: Ontogeny of 3β-hydroxysteroid dehydrogenase/$\Delta^5 - \Delta^4$ isomerase (3β-HSD) in human testis as studied by immunocytochemistry, 161

E

Eddy, R. L.: *See* Herr, J. C.
El Etreby, M. F.: Atamestane, a new aromatase inhibitor for the management of benign prostatic hyperplasia, 403; *see also* Habenicht, U.-F.
Ensrud, K. M., Hamilton, D. W.: Use of neonatal tolerization and chemical immunosuppression for the production of monoclonal antibodies to maturation-specific sperm surface molecules, 305

F

Falsetti, C.: *See* Baldi, E.
Flaherty, S. P.: *See* Cui, K.-H.
Flickinger, C. J.: *See* Herr, J. C.
Forti, G.: *See* Baldi, E.
Franken, D. R.: *See* Coddington, C. C.
Frydman, M., Kauschansky, A., Bonne-Tamir, B., Nassar, F., Homburg, R.: Assessment of the hypothalamic–pituitary–testicular function in male patients with Wilson's disease, 180

G

Geller, J.: Overview of enzyme inhibitors and anti-androgens in prostatic cancer, 364
Ghusn, H. F., Shao, T. C., Klima, M., Cunningham, G. R., 4-MAPC, a 5α-reductase inhibitor, reduces rat ventral prostate weight, DNA, and prostatein concentrations, 315
Gladen, B. C., Williams, J., Chapin, R. E.: Issues in the statistical analysis of sperm motion data derived from computer-assisted systems, 89
Guerin, M. V.: *See* Cui, K.-H.

H

Habenicht, U.-F., El Etreby, M. F.: Rationale for using aromatase inhibitors to manage benign prostatic hyperplasia: Experimental studies, 395; *see also* El Etreby, M. F.
Hadley, J.: *See* Hall, J. C.
Hall, J. C., Hadley, J., Doman, T.: Correlation between changes in rat sperm membrane lipids, protein, and the membrane physical state during epididymal maturation, 76

Hall, S. J.: *See* Boekelheide, K.
Hamilton, D. W.: *See* Ensrud, K. M.
Hartmann, P. E.: *See* Cummins, J. M.
Heikinheimo, M.: *See* Lahdenne, P.
Hellstrom, W. J. G.: *See* Sikka, S. C.
Henderson, D.: *See* El Etreby, M. F.
Herr, J. C., Wright, R. M., Flickinger, C. J., Eddy, R. L., Shows, T. B.: Assignment of the gene for human intra-acrosomal protein SP-10 to the p12 →q13 region of chromosome 11, 281
Hodgen, G. D.: *See* Coddington, C. C.
Homburg, R.: *See* Frydman, M.
Howard, J., Bush, M., Wildt, D. E.: Teratospermia in domestic cats compromises penetration of zona-free hamster ova and cat zonae pellucidae, 36
Huhtaniemi, I., Venho, P., Jacobi, G., Rannikko, S.: Response of circulating gonadotropin levels to GnRH agonist treatment in prostatic cancer, 46

I

Isahakia, M. A.: Stage-specific expression of a protein of the acrosome of baboon sperm during spermiogenesis detected with a monoclonal antibody, 140

J

Jacobi, G.: *See* Huhtaniemi, I.
Jequier, A. M.: *See* Cummins, J. M.

K

Kauschansky, A.: *See* Frydman, M.
Kelly, E. E.: *See* Scaglia, H. E.
Kerr, J. B.: *See* Mendis-Handagama, S. M. L. C.
Killian, G. J.: *See* McNutt, T. L.
Klima, M.: *See* Ghusn, H. F.
Koskimies, A. I.: *See* Lahdenne, P.
Krausz, C.: *See* Baldi, E.
Kruger, T.: *See* Coddington, C. C.

L

Labrie, F.: *See* Dupont, E.
Lahdenne, P., Dunkel, L., Heikinheimo, M., Koskimies, A. I., Siimes, M. A.: Hypergonadotropic hypogonadism and sperm abnormalities in men born with benign sacrococcygeal teratoma, 226
Lee, K.-F.: *See* Wang, C.
Lepor, H.: The emerging role of alpha antagonists in the therapy of benign prostatic hyperplasia, 389
Leung, A.: *See* Wang, C.
Leung, J.: *See* Wang, C.
Lewis, R.: *See* Blute, M. L.; *see also* Oesterling, J. E.
Liu, X.: *See* Meikle, A. W.
Luu-The, V.: *See* Dupont, E.

M

Mack, S. R., Zaneveld, L. J. D.: Effect of phorbol diesters, synthetic diacylglycerols, and a protein kinase C inhibitor on the human sperm acrosome reaction, 62
Maggi, M.: *See* Baldi, E.
Mariani, V. A.: *See* Scaglia, H. E.
Matthews, C. D.: *See* Cui, K.-H.
McConnell, J. D.: The pathophysiology of benign prostatic hyperplasia, 356
McNutt, T. L., Killian, G. J.: Influence of bovine follicular and oviduct fluids on sperm capacitation *in vitro*, 244
Meikle, A. W., Liu, X., Stringham, J. D.: Extracellular calcium and luteinizing hormone effects on 22-hydroxycholesterol used for testosterone production in mouse Leydig cells, 148
Mendis-Handagama, S. M. L. C., Kerr, J. B., de Kretser, D. M.: Experimental cryptorchidism in the adult mouse: III. Qualitative and quantitative electron microscopic morphology of Leydig cells, 335
Meurer, M.: *See* Wolff, H.
The MK-906 (Finasteride) Study Group: One-year experience in the treatment of benign prostatic hyperplasia with finasteride, 372
Myers, R. B.: *See* Abney, T. O.

N

Napier, A. J.: *See* Cui, K.-H.
Nassar, F.: *See* Frydman, M.
Nazian, S. J., Brewer, L. D., Ness, G. C.: Pituitary regulation of the expression of the farnesyl pyrophosphate synthetase gene in the testes of the sexually maturing rat, 264
Ness, G. C.: *See* Nazian, S. J.
Newble, C. D.: *See* Cui, K.-H.
Ng, V.: *See* Wang, C.
Nieschlag, E.: *See* Zenzes, M. T.
Nishino, Y.: *See* El Etreby, M. F.

O

Oesterling, J. E., Lewis R. W.: Introduction, 346
Oesterling, J. E.: LHRH agonists: A nonsurgical treatment for benign prostatic hyperplasia, 381
Oesterling, J. E.: The origin and development of benign prostatic hyperplasia: An age-dependent process, 348
Oesterling, J. E.: A permanent, epithelializing stent for the treatment of benign prostatic hyperplasia: Preliminary results, 423
Oosthuizen, W. T.: *See* Coddington, C. C.
Overstreet, J. W.: *See* Drobnis, E. Z.

P

Padmanabhan, V.: *See* Urban, R. J.
Parker, R. A.: *See* Rogers, B. J.
Pelletier, G.: *See* Dupont, E.
Pember, S. M.: *See* Cummins, J. M.
Piomboni, P.: *See* Baccetti, B.

R

Rannikko, S.: *See* Huhtaniemi, I.
Read, E. J.: *See* Toth, G. P.
Reed, T. E.: *See* Zenzes, M. T.
Renieri, T.: *See* Baccetti, B.
Rey-Valzacchi, G. J.: *See* Scaglia, H. E.
Riehmann, M., Bruskewitz, R. C.: Transurethral incision of the prostate and bladder neck, 415
Rogers, B. J., Parker, R. A.: Relationship between the human sperm hypo-osmotic swelling test and sperm penetration assay, 152
Rommerts, F. F. G.: *See* Teerds, K. J.

S

Sansone, G., Abrescia, P.: Relative ratios of lactoferrin, albumin, and acid phosphatase seminal levels as sperm quality markers in fertile and infertile men, 191
Scaglia, H. E., Carrere, C. A., Mariani, V. A., Zylbersztein, C. C., Rey-Valzacchi, G. J., Kelly, E. E., Aquilano, D. R.: Altered testicular hormone production in infertile patients with idiopathic oligoasthenospermia, 273
Schrader, S. M., Turner, T. W., Simon, S. D.: Longitudinal study of semen quality of unexposed workers: Sperm motility characteristics, 126
Shao, T. C.: *See* Ghusn, H. F.
Shows, T. B.: *See* Herr, J. C.
Siimes, M. A.: *See* Lahdenne, P.
Sikka, S. C., Hellstrom, W. J. G.: The application of pentoxifylline in the stimulation of sperm motion in men undergoing electroejaculation, 165
Simon, S. D.: *See* Schrader, S. M.
Smith, M. K.: *See* Toth, G. P.
Stober, J. A.: *See* Toth, G. P.
Stone, N. N., Clejan, S. J.: Response of prostate volume, prostate-specific antigen, and testosterone to flutamide in men with benign prostatic hyperplasia, 376
Stringham, J. D.: *See* Meikle, A. W.

T

Teerds, K. J., de Rooij, D. G., de Jong, F. H., Rommerts, F. F. G.: Rapid development of Leydig cell tumors in a Wistar rat substrain, 171
Tenover, J. S., Bremner, W. J.: The effects of normal aging on the response of the pituitary-gonadal axis to chronic clomiphene administration in men, 258

Toth, G. P., Stober, J. A., Zenick, H., Read, E. J., Christ, S. A., Smith, M. K.: Correlation of sperm motion parameters with fertility in rats treated subchronically with epichlorohydrin, 54
Tsoi, W.-L.: *See* Wang, C.
Turner, T. W.: *See* Schrader, S. M.

U

Urban, R. J., Dahl, K. D., Padmanabhan, V., Beitins, I. Z., Veldhuis, J. D.: Specific regulatory actions of dihydrotestosterone and estradiol on the dynamics of FSH secretion and clearance in humans, 27

V

Veeramachaneni, D. N. R., Amann, R. P.: Endocytosis of androgen-binding protein, clusterin, and transferrin in the efferent ducts and epididymis of the ram, 288
Veldhuis, J. D.: *See* Urban, R. J.
Venho, P.: *See* Huhtaniemi, I.
Verhoeven, G., Cailleau, J.: Rat tumor Leydig cells as a test system for the study of sertoli cell factors that stimulate steroidogenesis, 9

W

Wang, C., Leung, A., Tsoi, W.-L., Leung, J., Ng, V., Lee, K.-F., Chan, S. Y. W.: Evaluation of human sperm hyperactivated motility and its relationship with the zona-free hamster oocyte sperm penetration assay, 253
Wildt, D. E.: *See* Howard, J.
Williams, J.: *See* Gladen, B. C.
Winters, S. J.: Diurnal rhythm of testosterone and luteinizing hormone in hypogonadal men, 185
Woelders, H.: *See* de Leeuw, A. M.
Wolff, H., Bezold, G., Zebhauser, M., Meurer, M.: Impact of clinically silent inflammation on male genital tract organs as reflected by biochemical markers in semen, 331
Wright, R. M.: *See* Herr, J. C.

Y

Yovich, J. L.: *See* Cummins, J. M.

Z

Zaneveld, L. J. D.: *See* Mack, S. R.
Zebhauser, M.: *See* Wolff, H.
Zenick, H.: *See* Toth, G. P.
Zenzes, M. T., Reed, T. E., Nieschlag, E.: Non-poisson distribution of sperm from grandfathers in zona-free hamster ova, 71
Zhong, C. Q.: *See* Drobnis, E. Z.
Zylbersztein, C. C.: *See* Scaglia, H. E.

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 12, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1991. Title of Publication—JOURNAL OF ANDROLOGY; Frequency of Issue—Bi-Monthly; Annual Subscription Price—$175.00; Location of Known Office of Publication—100 Insurance Way, Suite 114, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—J. B. Lippincott Company, 227 East Washington Square, Philadelphia, PA 19106; Publisher—The American Society of Andrology, 309 W. Clark Street, Champaign, IL 61820; Editor—Claude Desjardins, MD, Department of Physiology, Box 449 Medical Center, Univ. of Virginia, Charlottesville, VA 22908; Managing Editor—Lynda Krumpholz, 227 East Washington Square, Philadelphia, PA 19106; Owner—American Society of Andrology, 309 W. Clark St., Champaign, IL 61820; Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 1,635, actual 1,500; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 1099, actual 1153; C. Total paid circulation, average 1099, actual 1153; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 92, actual 46; E. Total distribution (*sum of C and D*), average 1191, actual 1199; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 444, actual 301, 2. Returns from news agents, none; G. Total (*sum of E & F—should equal net press run shown in A*), average 1635, actual 1500. I certify that the statements made by me above are correct and complete. J. Lippincott, *Vice President*.